




DIAMOND BLADES
DPCM-T
CONSTRUCTION MATERIALS & METAL



APPLICATIONS - CIVIL ENGINEERING

HARD / DENSE MATERIAL	
Glass / Reinforced Plastic	
Polyurethane	
Fibreglass	
Marble - Dry Cutting	
Steel Bars, Pipe & Sections	
SG & Grey Iron	
Porcelain & Hard Tiles	
Ceramic Tiles	
Indian Stone	
Granite	
Slate	
Class A Engineering Bricks	
Clay Pavers / Pipes / Tiles	
Flint Aggregate Product	
Class B Engineering Bricks	
Heavily Reinforced Concrete	
Medium Reinforced Concrete	
Lightly Reinforced Concrete	
Concrete	
Hard York Stone	
Quartzite	
London Brick	
Hard Concrete Products	
Kerbs / Lintels / Beams	
Cast Pipes	
Bricks / Concrete Flags	
Hand Made Bricks	
Facing Bricks	
Concrete Roof Tiles	
Soft Concrete Pavers	
Sand Based Pavers	
Green Concrete	
Cement Screed	
Lightweight Concrete Block	
Hot Rolled Asphalt	
Abrasive Sand / Gritstone	
Asphalt Over Concrete	
Asphalt	
Abrasive Mortar	

■ HIGHLY SUITED □ NOT SUITABLE
 ■ SUITABLE WITH RESERVATIONS

EXCELLENT PERFORMANCE & OUTPUT

USE ME FOR

- Indian stone / Granite / Clay products
- All bricks incl. Class A Engineering
- All concrete types incl. reinforced
- Occasional use in asphalt & abrasive materials
- Ferrous metal sections up to 5mm gauge

FEATURES

- Segments > 10 mm Continuous turbo rim
- Core > Ventilated with reinforced flange
- Gullets > Turbo rim
- Adhesion > Sintered - Hot Pressed
- Perform > Excellent Speed of Cut & Output
- Other > Less chipping & Increased stability




SIZES & MOST RELEVANT MACHINE TYPE

DIMENSIONS	DPCM-T	
(4 1/2") 115 x 22.23	115DPCM-T	
(5") 125 x 22.23	125DPCM-T	
(7") 230 x 22.23	230DPCM-T ∞	
(12") 300 x 20.00	300DPCM-T ∞	
(14") 350 x 20.00	350DPCM-T ∞	

VALUE TWIN PACKS

300DPCM-T is also available as part of a twin pack containing:
 1 x 300DPCM,
 1 x 300DPCM-T &
 2 x 1 shot bottles of 2 stroke oil



COOLING HOLES
 Keep the steel core cool and will prevent distortion of that core. Keeping the diamond matrix cool in segments will improve speed and life

CONTINUOUS TURBO RIM
 Less chipping than with segmented blades. Faster cutting due to castellation of rim. Clears debris quicker and keeps blade cool by trapping air in motion

REINFORCED FLANGE
 Stability under extreme use and keeps steel core in line, therefore giving a cleaner, straighter cut

ALTERNATIVE PRODUCTS



ORDER LINE: 01999 552470
 EMAIL: INFO@DURO-YOKOTA.CO.UK

WWW.DURO-DIAMONDS.COM
 WWW.YOKOTA.CO.UK